



Northboro 2012: updated 8/21/12 8:54am

Mosquitoes with West Nile Virus were confirmed August 15 in a surveillance trap set by CMMCP in Northboro off Emerson Road August 10. Working with the Northboro Health Department, spraying in the area below was done August 20.

It's important to note that spraying can only reduce but not eliminate the threat of mosquito-borne illness in the areas that are sprayed. That's why it's important for individuals to continue to take personal precautions against mosquito bites — both before and after any spraying is conducted.

Use the “Zoom” feature to make the map larger (“View” then “Zoom”) or press the plus sign (+) while holding the Control button (CTRL) on your keyboard.



Abenaki Rd
Adams Rd
Agawam Dr
Alcott Dr
Bridle Path Dr
Brigham St

Hamilton Rd
Hawthorne Cir
Hoover Rd
Indian Meadow Dr
Intervale Farm Ln
Jacob Cobb Ln

Northgate Rd
Otis St
Rustic Dr
Ruth Rd
Saddle Hill Dr
Samuel Gamwel Rd

Captain Eager Dr	Jefferson Rd	South St
Charina Rd	Jethro Peters Ln	Sunset Dr
Chesterfield Rd	Kendall Dr	Thaddeus Mason Rd
Claflin Farm Ln	Lanthorn Rd	Thayer St
Davis Ave	Lexington Rd	Thoreau Rd
Davis St	Longfellow Rd	Tomahawk Dr
Eliot Rd	Madison Rd	Washington Rd
Emerson Rd	Mashpee Cir	Wheeler Ln
Forest Rd	Mayflower Rd	Williamsburg Cir
Garrison Cir	Meadow Rd	Wilson Rd
Greenwood Rd	Milk Porridge Cir	
Halloway Ln	Nelson Dr	

NOTE: ADDITIONAL AREAS NOT LISTED ABOVE MAY BE SCHEDULED BY REQUEST OF RESIDENTS – CHECK HERE AFTER 3PM ON AUGUST 20: www.cmmcp.org/ulv.htm

Avoid Mosquito Bites

- **Be Aware of Peak Mosquito Hours** - The hours from dusk to dawn are peak biting times for many mosquitoes. Consider rescheduling outdoor activities that occur during evening or early morning. Otherwise, take extra care to use repellent and protective clothing.
- **Clothing Can Help** reduce mosquito bites. Although it may be difficult to do when it's hot, wearing long-sleeves, long pants and socks when outdoors will help keep mosquitoes away from your skin.
- **Apply Insect Repellent** when you go outdoors. Use a repellent with **DEET** (N, N-diethyl-m-toluamide), **permethrin**, **picaridin** (KBR 3023), **IR3535** or **oil of lemon eucalyptus** [p-methane 3, 8-diol (PMD)] according to the instructions on the product label. DEET products should not be used on infants under two months of age and should be used in concentrations of 30% or less on older children. Oil of lemon eucalyptus should not be used on children under three years of age. Permethrin products are intended for use on items such as clothing, shoes, bed nets and camping gear and should not be applied to skin.

Mosquito-Proof Your Home

- **Drain Standing Water** - Mosquitoes lay their eggs in standing water. Limit the number of places around your home for mosquitoes to breed by either draining or getting rid of items that hold water. Check rain gutters and drains. Empty any unused flowerpots and wading pools, and change water in birdbaths frequently. Contact **508.929.1300** if you have found an abandoned pool in your neighborhood.
- **Install or Repair Screens** - Some mosquitoes like to come indoors. Keep them outside by having tightly-fitting screens on all of your windows and doors.

Information about WNV and reports of WNV activity in Massachusetts during 2010 can be found on the MDPH website at <http://www.mass.gov/dph/wnv>. Recorded information about WNV is also available by calling the MDPH Public Health Information Line at 1-866-MASS-WNV (1-866-627-7968).

