



Shrewsbury 2012: *updated 8/22/12 11:15pm*

[Press release August 15, 2012](#)

Mosquitoes with West Nile Virus were confirmed August 15 in a surveillance trap set by CMMCP off North Quinsigamond Ave. on August 9. After consultation with the Shrewsbury Board of Health, spraying in the area below was done August 21, 2012.

It's important to note that spraying can only reduce but not eliminate the threat of mosquito-borne illness in the areas that are sprayed. That's why it's important for individuals to continue to take personal precautions against mosquito bites — both before and after any spraying is conducted.

Use the "Zoom" feature to make the map larger ("View" then "Zoom") or press the plus sign (+) while holding the Control button (CTRL) on your keyboard.



Althea Path
Audubon Dr
Avon Dr
Bagley Ave
Baker Ave
Bridge Rd
Cardinal Cir
Charles St
Childs St
Cliff St
Cottage Ave
Crane Cir
Cutler St
Dewey Rd

First Ave
Flamingo Cir
Fyrbeck Ave
Greylock Ave
Grove Ridge Path
Harrington Ave
Hillside Ave
Kings Brook Xing
Lake View Ave
Lakeside Path
Lawrence St
Mallard Cir
Marietta Ave
Melvin Ave

Old Mill Rd
Olympia Ave
Oregon Ave
Oriole Cir
Parker Rd
Pearl St
Phillips Ave
Phillips Ct
Pine Ave
Ptarmigan Dr
Sadler Ave
Sandpiper Dr
Spags Aly
Swan Cir

Eagle Dr	Merritt Ave	Tern Dr
Eaglehead Ter	Miles Ave	Veranda Ave
Eastern Point Dr	Morrill Ave	Wheeler Ave
Egret Cir	Mozart Ave	Willet Dr
Everett Ave	Muzzy Ave	Wood St
Fifth Ave	N Quinsigamond Ave	
Fifth Ave Row	O'Donnell Ave	

NOTE: ADDITIONAL AREAS NOT LISTED ABOVE MAY BE SCHEDULED BY REQUEST OF RESIDENTS – CHECK HERE AFTER 3PM ON AUGUST 21: www.cmmcp.org/ulv.htm

Avoid Mosquito Bites

- **Be Aware of Peak Mosquito Hours** - The hours from dusk to dawn are peak biting times for many mosquitoes. Consider rescheduling outdoor activities that occur during evening or early morning. Otherwise, take extra care to use repellent and protective clothing.
- **Clothing Can Help** reduce mosquito bites. Although it may be difficult to do when it's hot, wearing long-sleeves, long pants and socks when outdoors will help keep mosquitoes away from your skin.
- **Apply Insect Repellent** when you go outdoors. Use a repellent with **DEET** (N, N-diethyl-m-toluamide), **permethrin**, **picaridin** (KBR 3023), **IR3535** or **oil of lemon eucalyptus** [p-methane 3, 8-diol (PMD)] according to the instructions on the product label. DEET products should not be used on infants under two months of age and should be used in concentrations of 30% or less on older children. Oil of lemon eucalyptus should not be used on children under three years of age. Permethrin products are intended for use on items such as clothing, shoes, bed nets and camping gear and should not be applied to skin.

Mosquito-Proof Your Home

- **Drain Standing Water** - Mosquitoes lay their eggs in standing water. Limit the number of places around your home for mosquitoes to breed by either draining or getting rid of items that hold water. Check rain gutters and drains. Empty any unused flowerpots and wading pools, and change water in birdbaths frequently. Contact **508.929.1300** if you have found an abandoned pool in your neighborhood.
- **Install or Repair Screens** - Some mosquitoes like to come indoors. Keep them outside by having tightly-fitting screens on all of your windows and doors.

Information about WNV and reports of WNV activity in Massachusetts during 2010 can be found on the MDPH website at <http://www.mass.gov/dph/wnv>. Recorded information about WNV is also available by calling the MDPH Public Health Information Line at 1-866-MASS-WNV (1-866-627-7968).